Journal of Biotechnology, 5 (1987) 317–319
Elsevier

Author index

Abd-El-Bary, M.F., see Hamoda, M.F., 279
Akaoka, A., see Nakayama, A., 171
Akerlund, H.E., see Birkenmeier, G., 115
Al-Haddad, A.A., see Hamoda, M.F., 279
Albertsson, P.A., see Birkenmeier, G., 115
Allen, G., Winther, M.D., Henwood, C.A., Beesley, J., Sharry, L.F., O'Keefe, J., Bennett, J.W., Chapman, R.E., Hollis, D.E., Panaretto, B.A., Van Dooren, P., Edols, R.W., Inglis, A.S., Wynn, P.C. and Moore, G.P.M., Synthesis and cloning of a gene coding for a fusion protein containing mouse epidermal growth factor. Isolation from transformed *Escherichia coli* and some physical, chemical and biological characteristics of the growth factor, 93
Asakura, T., see Kuzuhara, A., 199

Beesley, J., see Allen, G., 93
Bennett, J.W., see Allen, G., 93
Berner, S., see Birkenmeier, G., 115
Birkenmeier, G., Kopperschläger, G., Albertsson, P.A., Johansson, G., Tjerneld, F., Akerlund, H.E., Berner, S. and Wickstroem, H. Fractionation of proteins from human serum by counter-current distribution, 115
Bollen, A., see Hoylaerts, M., 181
Brunel, F., see Ursi, D., 221
Buchert, P., see Korpela, K., 267
Burnett, J.W., see Peng, L., 255

Calton, G.J., see Peng, L., 255
Chapman, R.E., see Allen, G., 93
Cheryan, M., see Patel, P.N., 1
Chuchana, P., see Hoylaerts, M., 181
Compagno, C., see Ranzi, B.M., 227

Davison, J., see Ursi, D., 221
De Wilde, M., see Hoylaerts, M., 181
Dhainaut, F., Gerbert-Gaillard, B. and Maume, B.F., Culture of mouse adrenal cortex Y-1 cell line on microcarriers in cell reactor. Growth and steroidogenesis, 131
Dunn, N.W., see Park, R.J., 149

Edols, R.W., see Allen, G., 93

Fuji, T., see Sone, H., 87
Fujimoto, S., see Kitano, K., 77
Furutani, Y., see Nakayama, A., 171

Gerbert-Gaillard, B., see Dhainaut, F., 131
Günther, H., Neumann, S. and Simon, H., 2-Oxocarboxylate reductase from *Proteus* species and its use for the preparation of (*2R*)-hydroxy acids, 53

Hamoda, M.F., Al-Haddad, A.A. and Abd-El-Bary, M.F., Treatment of phenolic wastes in an aerated submerged fixed-film (ASFF) bioreactor, 279
Henley, J.P., see Sadana, A., 67
Henwood, C.A., see Allen, G., 93
Hitzmann, B., see Scheper, T., 139
Hollis, D.E., see Allen, G., 93
Honda, S., Sugino, H., Nishi, K., Nara, K. and Kakinuma, A., Purification of human leukocyte interferon A derived from *Escherichia coli*: an aging process to prevent the formation of its oligomers, 39
Honjo, M., see Nakayama, A., 171
Hoylaerts, M., Chuchana, P., Verdonck, P., Roelants, P., Weyens, A., Loriau, R., De Wilde, M. and Bollen, A., Large scale purification and molecular characterization of human recombinant α_1-proteinase inhibitor produced in yeasts, 181

Ide, J.A., see Park, R.J., 149
Inglis, A.S., see Allen, G., 93
Itoh, N., Yao Cheng, L., Izumi, Y. and Yamada, H., Immobilized bromoperoxidase of *Corallina pilulifera* as a multifunctional halogenating biocatalyst, 29
Izumi, Y., see Itoh, N., 29
Izumi, Y., see Tanaka, M., 209

Johansson, G., see Birkenmeier, G., 115

0168-1656/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Kakinuma, A., see Honda, S., 39
Kato, N., see Sugimoto, S., 157
Kato, N., see Sugimoto, S., 237
Kawamura, K., see Nakayama, A., 171
Kitano, K., Fujimoto, S., Nakao, M., Watanabe, T. and Nakao, Y., Intracellular degradation of recombinant proteins in relation to their location in *Escherichia coli* cells, 77
Kondo, K., see Sone, H., 87
Kopperschläger, G., see Birkenmeier, G., 115
Korpela, K., Buchert, P. and Söderlund, H., Determination of plasmid copy number with nucleic acid sandwich hybridization, 267
Kuzuhara, A., Asakura, T., Tomoda, R. and Matsunaga, T., Use of silk fibroin for enzyme membrane, 199

Likidis, Z. and Schügerl, K., Reactive extraction and reextraction of penicillin with different carriers, 293
Loriau, R., see Hoylaerts, M., 181

Martegani, E., see Ranzi, B.M., 227
Matsunaga, T., see Kuzuhara, A., 199
Maume, B.F., see Dhainaut, F., 131
Mehaia, M.A., see Patel, P.N., 1
Mita, I., see Nakayama, A., 171
Miwa, K., see Morinaga, Y., 305
Moore, G.P.M., see Allen, G., 93
Morinaga, Y., Tsuchiya, M., Miwa, K. and Sano, K., Expression of Escherichia coli promoters in *Brevibacterium lactofermentum* using the shuttle vector pEB003, 305
Motyka, H., see Park, R.J., 149

Nakao, M., see Kitano, K., 77
Nakao, Y., see Kitano, K., 77
Nakayama, A., Kawamura, K., Shmida, H., Akaoka, A., Mita, I., Honjo, M. and Furutani, Y., Extracellular production of human growth hormone by a head portion of the prepropeptide derived from *Bacillus amyloliquefaciens* neutral protease in Bacillus subtilis, 171
Nara, K., see Honda, S., 39
Neumann, S., see Günther, H., 53
Nishi, K., see Honda, S., 39

O'Keefe, J., see Allen, G., 93
Omori, K., Shibatani, T. and Tosa, T., Cloning of tryptophanase gene of *Alcaligenes faecalis* for effective production of L-tryptophan, 17

Panaretto, B.A., see Allen, G., 93
Park, R.J., Ide, J.A. Motyka, H. and Dunn, N.W., Transposon induced mutants of *Pseudomonas* which accumulate catabolites from bile acids. Production of hydroxy-3-oxo-1,4-pregnadiene-20-carboxylic acids, 149
Patel, P.N., Mehaia, M.A. and Cheryan, M., Cross-flow membrane filtration of yeast suspensions, 1
Peng, L., Calton, G.J. and Burnett, J.W., Evaluation of activation methods with cellulose beads for immunosorbent purification of immunoglobulins, 255
Porro, D., see Ranzi, B.M., 227
Prozzi, D., see Ursi, D., 221

Ranzi, B.M., Porro, D., Compagno, C. and Martegani, E., Protein and cell volume distributions during the production of beta-galactosidase in batch cultures of *Kluyveromyces lactis (Short Communication)*, 227
Rinas, U., see Scheper, T., 139
Roelants, P., see Hoylaerts, M., 181

Sadana, A. and Henley, J.P., Deactivation-disguised kinetics, 67
Sano, K., see Morinaga, Y., 305
Scheper, T., Hitzmann, B., Rinas, U. and Schügerl, K., Flow cytometry of *Escherichia coli* for process monitoring, 139
Schügerl, K., see Likidis, Z., 293
Schügerl, K., see Scheper, T., 139
Seki, T., see Sugimoto, S., 157
Seki, T., see Sugimoto, S., 237
Sharry, L.F., see Allen, G., 93
Shibatani, T., see Omori, K., 17
Shmida, H., see Nakayama, A., 171
Simon, H., see Günther, H., 53
Söderlund, H., see Korpela, K., 267
Sone, H., Fuji, T., Kondo, K. and Tanaka, J., Molecular cloning of the gene encoding α-acetolactate decarboxylase from *Enterobacter aerogenes,* 87
Starodub, M.E., see Trevors, J.T., 165
Sugimoto, S., Kato, N., Seki, T., Yoshida, T. and Taguchi, H., Loss of cell viability by excessive synthesis of a specific mRNA in phenylalanine production (*Short Communication*), 157
Sugimoto, S., Yabuta, M., Kato, N., Seki, T., Yoshida, T. and Taguchi, H., Hyperproduction of phenylalanine by *Escherichia coli*: application of a temperature-controllable expression vector carrying the repressor-promoter system of bacteriophage lambda, 237

Sugino, H., see Honda, S., 39

Taguchi, H., see Sugimoto, S., 157
Taguchi, H., see Sugimoto, S., 237
Tanaka, J., see Sone, H., 87
Tanaka, M., Yamamoto, H., Izumi, Y. and Yamada, H., Enzymatic production of α-dehydrobiotin from biotin, 209
Tjerneld, F., see Birkenmeier, G., 115
Tomoda, R., see Kuzuhara, A., 199
Tosa, T., see Omori, K., 17
Trevors, J.T. and Starodub, M.E., A procedure to increase R-plasmid transfer during conjugation in *Escherichia coli (Short Communication)*, 165
Tsuchiya, M., see Morinaga, Y., 305

Ursi, D., Prozzi, D., Davison, J. and Brunel, F. Cloning and expression of aspartase and asparaginase from Pseudomonas PO7111 (*Short Communication*), 221

Van Dooren, P., see Allen, G., 93
Verdonck, P., see Hoylaerts, M., 181

Watanabe, T., see Kitano, K., 77
Weyens, A., see Hoylaerts, M., 181
Wickstroem, H., see Birkenmeier, G., 115
Winther, M.D., see Allen, G., 93
Wynn, P.C., see Allen, G., 93

Yabuta, M., see Sugimoto, S., 237
Yamada, H., see Itoh, N., 29
Yamada, H., see Tanaka, M., 209
Yamamoto, H., see Tanaka, M., 209
Yao Cheng, L., see Itoh, N., 29
Yoshida, T., see Sugimoto, S., 157
Yoshida, T., see Sugimoto, S., 237

Journal of Biotechnology, 5 (1987) 321–324
Elsevier

Subject index

α-Acetolactate decarboxylase gene, *Enterobacter aerogenes*, Cloning, Cosmid, Beer maturation, 87

Acyl-CoA oxidase, α-Dehydrobiotin, Biotinyl-CoA synthetase, 209

Affinity chromatography, Cellulose bead, Cyanogen bromide, Chromium trioxide, Sodium periodate, Dimethylsulfoxide-carbodiimide, Antibody, Goat anti-human IgG, Immunosorbent, 255

Affinity phase partitioning, Aqueous two-phase system, Counter-current distribution, Reactive dye, Serum protein, 115

Agarose, Conjugation, *Escherichia coli*, Plasmid, 165

Aging process, Recombinant human leukocyte interferon A, Oligomer, Disulfide bond, 39

Alcaligenes faecalis, Tryptophanase, *Escherichia coli*, Broad host range plasmid, Recombinant plasmid, 17

Amino acid variation, Y-1 cell culture, Microcarrier, Steroidogenesis, Oxygen, Glucose, Lactate, 131

Antibody, Cellulose bead, Cyanogen bromide, Chromium trioxide, Sodium periodate, Dimethylsulfoxide-carbodiimide, Goat-anti-human IgG, Immunosorbent, Affinity chromatography, 255

Aqueous two-phase system, Affinity phase partitioning, Counter-current distribution, Reactive dye, Serum protein, 115

***aroF*^{FR}**, *Escherichia coli*, Plasmid, ***pheA*^{FR}**, Feedback resistance, Temperature control, Hyperproduction, Phenylalanine, 237

Asparaginase, *Pseudomonas*, Aspartase, Recombinant DNA, 221

Aspartase, *Pseudomonas*, Asparaginase, Recombinant DNA, 221

α_1 AT, produced in yeast, Inhibitor, human recombinant α_1-proteinase, Protein, large scale purification, Chromatography, affinity, 181

Bacillus subtilis, Gene, neutral protease, Prepropeptide, Secretion vector, Human growth hormone, *N*-terminal amino acid sequence, 171

Beer maturation, α-Acetolactate decarboxylase gene, *Enterobacter aerogenes*, Cloning, Cosmid, 87

Biomass, Phenol biodegradation, Fixed-film reactor, Influent concentration, Overloading, Temperature, 279

Biotinyl-CoA synthetase, α-Dehydrobiotin, Acyl-CoA oxidase, 209

Bombyx mori, Silk fibroin, Glucose oxidase, Enzyme membrane, Silk II structure, 199

Brevibacterium lactofermentum, Promoter-probing vector, Plasmid, Gene expression, 305

Broad host range plasmid, Tryptophanase, *Alcaligenes faecalis, Escherichia coli*, Recombinant plasmid, 17

Bromoperoxidase, *Corallina pilulifera*, Red alga, Immobilization, Halogenating biocatalyst, 29

Cell harvesting, Yeast, Membrane filtration, 1

Cell size distribution, β-Galactosidase, *Kluyveromyces lactis*, Protein distribution, Flowcytometry, 227

Cell viability, *Escherichia coli*, High expression, mRNA synthesis, Phenylalanine production, 157

Cellulose bead, Cyanogen bromide, Chromium trioxide, Sodium periodate, Dimethylsulfoxide-carbodiimide, Antibody, Goat anti-human IgG, Immunosorbent, Affinity chromatography, 255

Chromatography, affinity, Inhibitor, human recombinant α_1-proteinase, Protein, large scale purification, α_1 AT, produced in yeast, 181

Chromium trioxide, Cellulose bead, Cyanogen bromide, Sodium periodate, Dimethylsulfoxide-carbodiimide, Antibody, Goat anti-human IgG, Immunosorbent, Affinity chromatography, 255

Cloning, α-Acetolactate decarboxylase gene, *Enterobacter aerogenes*, Cosmid, Beer maturation, 87

Conjugation, *Escherichia coli*, Plasmid, Agarose, 165

0168-1656/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Corallina pilulifera, Red alga, Bromoperoxidase, Immobilization, Halogenating biocatalyst, 29
Cosmid, α-Acetolactate decarboxylase gene, *Enterobacter aerogenes*, Cloning, Beer maturation, 87
Counter-current distribution, Affinity phase partitioning, Aqueous two-phase system, Reactive dye, Serum protein, 115
Cultivation monitoring, *Escherichia coli*, Laser flow cytometry, Intracellular enzyme activity, 139
Cyanogen bromide, Cellulose bead, Chromium trioxide, Sodium periodate, Dimethylsulfoxide-carbodiimide, Antibody, Goat anti-human IgG, Immunosorbent, Affinity chromatography, 255

DNA quantification, Plasmid copy number, Nucleic acid hybridization, Plasmid amplification, 267
Deactivation, Disguised kinetics, Enzymes, Series mechanism, 67
Defleecing, Epidermal growth factor, Gene synthesis, Oligodeoxynucleotide synthesis, Protease, lysine-specific, Wool harvesting, 93
α-Dehydrobiotin, Biotinyl-CoA synthetase, Acyl-CoA oxidase 209
Dimethylsulfoxide-carbodiimide, Cellulose bead, Cyanogen bromide, Chromium trioxide, Sodium periodate, Antibody, Goat anti-human IgG, Immunosorbent, Affinity chromatography, 255
Disguised kinetics, Deactivation, Enzymes, Series mechanism, 67
Disulfide bond, Recombinant human leukocyte interferon A, Oligomer, Aging process, 39

Enterobacter aerogenes, α-Acetolactate decarboxylase gene, Cloning, Cosmid, Beer maturation, 87
Enzyme membrane, Silk fibroin, Glucose oxidase, *Bombyx mori*, Silk II structure, 199
Enzymes, Disguised kinetics, Deactivation, Series mechanism, 67
Epidermal growth factor, Gene synthesis, Oligodeoxynucleotide synthesis, Defleecing, Protease, lysine-specific, Wool harvesting, 93
Escherichia coli, Tryptophanase, *Alcaligenes faecalis*, Broad host range Plasmid, Recombinant plasmid, 17
Escherichia coli, Protein degradation, Recombinant protein, Inclusion body, *lon* mutant, 77
Escherichia coli, Laser flow cytometry, Intracellular enzyme activity, Cultivation monitoring, 139
Escherichia coli, High expression, Cell viability, mRNA synthesis, Phenylalanine production, 157
Escherichia coli, Conjugation, Plasmid, Agarose, 165
Escherichia coli, Plasmid, $pheA^{FR}$, $aroF^{FR}$, Feedback resistance, Temperature control, Hyperproduction, Phenylalanine, 237

Feedback resistance, *Escherichia coli*, Plasmid, $pheA^{FR}$, $aroF^{FR}$, Temperature control, Hyperproduction, Phenylalanine, 237
Fixed-film reactor, Phenol biodegradation, Biomass, Influent concentration, Overloading, Temperature, 279
Flow-cytometry, β-Galactosidase, *Kluyveromyces lactis*, Protein distribution, Cell size distribution, 227

β-Galactosidase, *Kluyveromyces lactis*, Protein distribution, Cell size distribution, Flow-cytometry, 227
Gene expression, *Brevibacterium lactofermentum*, Promoter-probing vector, Plasmid, 305
Gene synthesis, Epidermal growth factor, Oligodeoxynucleotide synthesis, Defleecing, Protease, lysine-specific, Wool harvesting, 93
Gene, neutral protease, Prepropeptide, Secretion vector, Human growth hormone, *N*-terminal amino acid sequence, *Bacillus subtilis*, 171
Glucose oxidase, Silk fibroin, Enzyme membrane, *Bombyx mori*, Silk II structure, 199
Glucose, Y-1 cell culture, Microcarrier, Steroidogenesis, Oxygen, Lactate, Amino acid variation, 131
Goat anti-human IgG, Cellulose bead, Cyanogen bromide, Chromium trioxide, Sodium periodate, Dimethylsulfoxide-carbodiimide, Antibody, Immunosorbent, Affinity chromatography, 255

Halogenating biocatalyst, *Corallina pilulifera*, Red alga, Bromoperoxidase, Immobilization, 29
High expression, *Escherichia coli*, Cell viability, mRNA synthesis, Phenylalanine production, 157
Human growth hormone, Gene, neutral protease, Prepropeptide, Secretion vector, *N*-terminal amino acid sequence, *Bacillus subtilis*, 171
(*2R*)-Hydroxycarbolytes, 2-Oxocarboxylate reductase, Stereospecific reduction, Viologen-dependent, *Proteus* spec, Kinetics, 53
Hyperproduction, *Escherichia coli*, Plasmid, $pheA^{FR}$, $aroF^{FR}$, Feedback resistance, Temperature control, Phenylalanine, 237

Immobilization, *Corallina pilulifera*, Red alga, Bromoperoxidase, Halogenating biocatalyst, 29

Immunosorbent, Cellulose bead, Cyanogen bromide, Chromium trioxide, Sodium periodate, Dimethylsulfoxide-carbodiimide, Antibody, Goat anti-human IgG, Affinity chromatography, 255

Inclusion body, Protein degradation, Recombinant protein, *Escherichia coli, lon* mutant, 77

Influent concentration, Phenol biodegradation, Fixed-film reactor, Biomass, Overloading, Temperature, 279

Inhibitor, human recombinant α_1-proteinase, Protein, large scale purification, Chromatography, affinity, α_1 AT, produced in yeast, 181

Intracellular enzyme activity, *Escherichia coli*, Laser flow cytometry, Cultivation monitoring, 139

Ion exchange extraction, Reactive extraction, Ion pair extraction, Pencillin G, 293

Ion pair extraction, Reactive extraction, Pencillin G, Ion exchange extraction, 293

Kinetics, 2-Oxocarboxylate reductase, Stereospecific reduction, Viologen-dependent, *Proteus* spec, (*2R*)-Hydroxycarbolytes, 53

Kluyveromyces lactis, β-Galactosidase, Protein distribution, Cell size distribution, Flow-cytometry, 227

Lactate, Y-1 cell culture, Microcarrier, Steroidogenesis, Oxygen, Glucose, Amino acid variation, 131

Laser flow cytometry, *Escherichia coli*, Intracellular enzyme activity, Cultivation monitoring, 139

Membrane filtration, Yeast, Cell harvesting, 1

Microcarrier, Y-1 cell culture, Steroidogenesis, Oxygen, Glucose, Lactate, Amino acid variation, 131

Mutant, ***lon***, Protein degradation, Recombinant protein, *Escherichia coli*, Inclusion body, 77

***N*-terminal amino acid sequence**, Gene, neutral protease, Prepropeptide, Secretion vector, Human growth hormone, *Bacillus subtilis*, 171

Nucleic acid hybridization, Plasmid copy number, Plasmid amplification, DNA quantification, 267

Oligodeoxynucleotide synthesis, Epidermal growth factor, Gene synthesis, Defleecing, Protease, lysine-specific, Wool harvesting, 93

Oligomer, Recombinant human leukocyte interferon A, Disulfide bond, Aging process, 39

Overloading, Phenol biodegradation, Fixed-film reactor, Biomass, Influent concentration, Temperature, 279

2-Oxocarboxylate reductase, Stereospecific reduction, Viologen-dependent, *Proteus* spec, Kinetics, (*2R*)-Hydroxycarbolytes, 53

Oxygen, Y-1 cell culture, Microcarrier, Steroidogenesis, Glucose, Lactate, Amino acid variation, 131

Pencillin G, Reactive extraction, Ion pair extraction, Ion exchange extraction, 293

***pheA*^{FR}**, *Escherichia coli*, Plasmid, ***aroF*^{FR}**, Feedback resistance, Temperature control, Hyperproduction, Phenylalanine, 237

Phenol biodegradation, Fixed-film reactor, Biomass, Influent concentration, Overloading, Temperature, 279

Phenylalanine production, Escherichia coli, High expression, Cell viability, mRNA synthesis, 157

Phenylalanine, *Escherichia coli*, Plasmid, ***pheA*^{FR}**, ***aroF*^{FR}**, Feedback resistance, Temperature control, Hyperproduction, 237

Plasmid amplification, Plasmid copy number, Nucleic acid hybridization, DNA quantification, 267

Plasmid copy number, Nucleic acid hybridization, Plasmid amplification, DNA quantification, 267

Plasmid, *Brevibacterium lactofermentum*, Promoter-probing vector, Gene expression, 305

Plasmid, Conjugation, *Escherichia coli*, Agarose, 165

Plasmid, *Escherichia coli,* ***pheA*^{FR}**, ***aroF*^{FR}**, Feedback resistance, Temperature control, Hyperproduction, Phenylalanine, 237

Prepropeptide, Gene, neutral protease, Secretion vector, Human growth hormone, *N*-terminal amino acid sequence, *Bacillus subtilis*, 171

Promoter-probing vector, *Brevibacterium lactofermentum*, Plasmid, Gene expression, 305

Protease, lysine-specific, Epidermal growth factor, Gene synthesis, Oligodeoxynucleotide synthesis, Defleecing, Wool harvesting, 93

Protein degradation, Recombinant protein, *Escherichia coli*, Inclusion body, *lon* mutant, 77

Protein distribution, β-Galactosidase, *Kluyveromyces lactis*, Cell size distribution, Flow-cytometry, 227

Protein, large scale purification, Inhibitor, human recombinant α_1-proteinase, Chromatography, affinity, α_1 AT, produced in yeast, 181
Proteus spec, 2-Oxocarboxylate reductase, Stereospecific reduction, Viologen-dependent, Kinetics, (*2R*)-hydroxycarbolytes, 53
Pseudomonas, Transposon mutagenesis, Steroids, bile, Steroid catabolism, 149
Pseudomonas, Aspartase, Asparaginase, Recombinant DNA, 221

Reactive dye, Affinity phase partitioning, Aqueous two-phase system, Counter-current distribution, Serium protein, 115
Reactive extraction, Ion pair extraction, Pencillin G, Ion exchange extraction, 293
Recombinant plasmid, Tryptophanase, *Alcaligenes faecalis, Escherichia coli*, Broad host range plasmid, 17
Recombinant human leukocyte interferon A, Oligomer, Disulfide bond, Aging process, 39
Recombinant protein, Protein degradation, *Escherichia coli*, Inclusion body, *lon* mutant, 77
Recombinant DNA, *Pseudomonas*, Aspartase, Asparaginase, 221
Red alga, *Corallina pilulifera*, Bromoperoxidase, Immobilization, Halogenating biocatalyst, 29
mRNA synthesis, *Escherichia coli*, High expression, Cell viability, Phenylalanine production, 157

Secretion vector, Gene, neutral protease, Prepropeptide, Human growth hormone, *N*-terminal amino acid sequence, *Bacillus subtilis*, 171
Series mechanism, Disguised kinetics, Deactivation, Enzymes, 67
Serum protein, Affinity phase partitioning, Aqueous two-phase system, Counter-current distribution, Reactive dye, 115
Silk II structure, Silk fibroin, Glucose oxidase, Enzyme membrane, *Bombyx mori*, 199
Silk fibroin, Glucose oxidase, Enzyme membrane, *Bombyx mori*, Silk II structure, 199
Sodium periodate, Cellulose bead, Cyanogen bromide, Chromium trioxide, Dimethylsulfoxide-carbodiimide, Antibody, Goat anti-human IgG, Immunosorbent, Affinity chromatography, 255
Stereospecific reduction, 2-Oxocarboxylate reductase, Viologen-dependent, *Proteus* spec, Kinetics, (*2R*)-Hydroxycarbolytes, 53
Steroid catabolism, Transposon mutagenesis, *Pseudomonas*, Steroids, bile, 149
Steroidogenesis, Y-1 cell culture, Microcarrier, Oxygen, Glucose, Lactate, Amino acid variation, 131
Steroids, bile, Transposon mutagenesis, *Pseudomonas*, Steroid catabolism, 149

Temperature control, *Escherichia coli*, Plasmid, *pheA*^{FR}, *aroF*^{FR}, Feedback resistance, Hyperproduction, Phenylalanine, 237
Temperature, Phenol biodegradation, Fixed-film reactor, Biomass, Influent concentration, Overloading, 279
Transposon mutagenesis, *Pseudomonas*, Steroids, bile, Steroid catabolism, 149
Tryptophanase, *Alcaligenes faecalis, Escherichia coli*, Broad host range plasmid, Recombinant plasmid, 17

Viologen-dependent, 2-Oxocarboxylate reductase, Stereospecific reduction, *Proteus* spec, Kinetics, (*2R*)-Hydroxycarbolytes, 53

Wool harvesting, Epidermal growth factor, Gene synthesis, Oligodeoxynucleotide synthesis, Defleecing, Protease, lysine-specific, 93

Y-1 cell culture, Microcarrier, Steroidogenesis, Oxygen, Glucose, Lactate, Amino acid variation, 131
Yeast, Cell harvesting, Membrane filtration, 1